C106B Discussion 4: Model Predictive Control

1 Introduction

Today, we'll talk about:

- 1. Optimization Problems & Notation
- 2. Model Predictive Control
- 3. Constrained Model Predictive Control

2 Optimization Problems

In general, optimization problems seek to find the minimum of a cost function, f(x), as a function of a decision variable, x, subject to some constraints.

$$\min_{x \in \mathcal{D}} f(x) \tag{1}$$

s.t.
$$g(x) \le b$$
 Inequality Constraint (2)

$$a(x) = c$$
 Equality Constraint (3)

If we specify $arg\ min$ instead of min, the solution to the optimization problem is the value of the decision variable that minimizes f, subject to the constraints.

$$x^* = \underset{x \in \mathcal{D}}{\operatorname{arg min}} f(x) \tag{4}$$

s.t.
$$g(x) \le b$$
 Inequality Constraint (5)

$$a(x) = c$$
 Equality Constraint (6)

Optimization constraints must be a function of the decision variable! Otherwise, they won't constrain the solution to the optimization problem.

3 Model Predictive Control

Can we solve path planning and feedback control with a single optimization problem? Model predictive control offers us a way to approach the two through a single optimization. We optimize a cost function over a horizon, N, which allows us to plan N steps into the future.

Imagine that we want to drive the discrete time nonlinear system:

$$x(k+1) = f(x(k), u(k)) \tag{7}$$

To a desired state x_d . The following is a common formulation of the model predictive control problem for such a system:

$$x^*, u^* = \underset{x,u}{\operatorname{arg \, min}} (x_N - x_d)^T P(x_N - x_d) + \sum_{k=0}^{N-1} [(x_k - x_d)^T Q(x_k - x_d) + u_k^T R u_k]$$
 (8)

s.t.
$$x_{k+1} = f(x_k, u_k), k = 0, 1, ..., N - 1$$
 (9)

$$x(0) = x_0 \tag{10}$$

Where $Q, P, R \succeq 0$. Solving this problem will give us optimal path and input sequences that will take us towards our goal! It's important to note that we *won't* execute all N inputs at once! In model predictive control, we execute only the first input in the sequence, move to the next state, and then re-solve the model predictive control problem to "close the loop."

Problem 1: What are some positive and negative effects of increasing N? If we had a system with lots of disturbances, why would we not want to execute the entire sequence of optimal inputs?

Problem 2: We can dramatically speed up our MPC solution time by "warm-starting" the optimization with an initial guess. One example of an initial guess for x^* is a straight line that goes from x_0 at k=0 to x_d at k=N. Find an expression for a warm start guess $x^*(k)$ that achieves this interpolation.

4 Constrained Model Predictive Control

A major advantage of MPC is that since it optimizes over both x and u, we can impose constraints directly on the states we plan over. This means that we can easily encode information about obstacle avoidance by imposing constraints on x.

$$x^*, u^* = \underset{x,u}{\operatorname{arg \, min}} (x_N - x_d)^T P(x_N - x_d) + \sum_{k=0}^{N-1} [(x_k - x_d)^T Q(x_k - x_d) + u_k^T R u_k]$$
 (11)

s.t.
$$x_{k+1} = f(x_k, u_k), k = 0, 1, ..., N - 1$$
 (12)

$$x(0) = x_0 \tag{13}$$

Problem 3: Suppose that there are p circular obstacles between the current position of our turtlebot, (x, y), and the desired position of our turtlebot, (x_d, y_d) . Each obstacle with center position (x_i, y_i) and radius r_i . Write an expression for a constraint on (x, y) that ensures the turtlebot will not collide with the obstacles.